

MIGHTY



NEW THINKING. NEW POSSIBILITIES.

People's expectation toward individual mobility requires more than just a convenient means of transportation. The old understanding of cars has become outdated. A car represents individuals' lifestyles, and it became an integral part of their lives. At the same time, the automobile industry has experienced seismic change. Hyundai Motor Company has grown rapidly to become one of the largest automakers, backed by world class production capability and superior quality. We have now reached a point where we need a qualitative approach to bring bigger ideas and relevant solutions to our customers.

This is an opportunity to move forward and we have developed a new brand slogan that encapsulates our willingness to take a big leap. Led by our new slogan and the new thinking underlying it, we will become a company that keeps challenging itself to unlock new possibilities for people and the planet.

Hyundai Motor Company www.hyundai.com GEN. LHD 1512 ENG. Copyright © 2015 Hyundai Motor Company. All Rights Reserved.



HUITUH MIGHTY

BOLD & CONFIDENT DESIGN

SUPERIOR DESIGN AND FUNCTIONALITY

Stylish and practical, Mighty achieves a perfect balance of form and function. It's now easier than ever to access the cabin thanks to the wider cabin door and improved step design. Distinctively styled headlamps deliver more lumens than ever for better nighttime visibility while the dimensions and geometry of the radiator grille have been carefully calibrated to optimize engine cooling. Door mirrors, front and side glass have all been enlarged resulting in a much wider field of view that promotes safer, more confident driving. Thoughtful design puts Mighty ahead of the competition.



Taller, Wider Side GlassA taller, wider side window provides the driver with a much better view for safer driving.

Wider Windshield Glass

Cross-Type Design Identifies Mighty as a Tough and Solidly-Built Truck

The front end features a distinctive cross-type design which projects an image of strength and reliability. The cross pattern physically divides the front end into three major groups – the wide, low bumper, the headlights and the radiator grille – yet it manages to provide a strong sense of visual unity.



Stylish HeadlampsThe two lamp assemblies are stacked vertically creating an impression of

strength and authority.



Projection Fog Lamps & DRL
Fog lamp assembly includes projection
lenses and daytime running lamps for
better visibility especially in adverse
weather conditions.



Grip-Type Door Handle

Horizontal handle is large and hefty
and provides a secure grip even if
wearing heavy gloves.







WIDE & CONVENIENT

A SURPRISINGLY SPACIOUS AND WELL-EQUIPPED CABIN

From the comfortable driver seat which is designed to maximize support of lower back muscles to the intelligent layout of the instrument panel which is easy on the eyes, every design detail is guided by the assumption that a well–rested driver is a safer and more productive driver.



Horizontal Dashboard Layout

The instrumental panel features a new horizontal layout for a simpler, more modern look.

Control switches are also larger and are logically organized for even easier and more intuitive operation.



Maintenance Alert System

This advanced monitoring system issues alerts whenever it's time for an oil change or other important maintenance.



Audio System

The top-end T800 AM/FM radio offers
Bluetooth capability, plays MP3s, CDs
e. and accepts USBs and AUX inputs.



Multi-Function Control Stalks

Light and turn signal control functions are right at your fingertips with these sturdily-built stalks.

3.5m³

Extra Spacious Cabin

Improvements to the cabin design start with increases to the key dimensions. Taller and longer, the new cabin has a pleasant spacious feel. With more headroom and legroom than ever to enjoy, driving is guaranteed to be more comfortable.



MAX VISIBILITY &

A BETTER VIEW FOR SAFER DRIVING

Bigger glass, smaller A-pillars and new headlights, all contribute to better visibility which makes the new Mighty so much safer to drive. Redesigned side mirrors shrink the size of the blind spot to provide wider coverage for safer lane changes. Daytime running lights and fog lamps with projection-type lenses make it easier to see and to be seen when driving in poor weather conditions.

Longer, Wider Beam Pattern The new, tall-style headlamps include a major redesign of the reflective mirror optics resulting in significant improvements to the beam pattern. Compared to their predecessors, these newest headlamps cast a significantly longer and wider beam pattern than before thus making nighttime

driving much safer.



Easy Entry Steps & Door Courtesy Lamps Strong steps sit lower and are wider and deeper while perforations maximize traction Courtesy lamps add another welcome touch.

Easy Ingress & Egress

One repetitive task that truck drivers face each day is climbing a step to get in and out of their trucks. To minimize the effort required, Hyundai engineers have lowered the height of the step while lengthening and widening it for a more secure footing. A larger door cutout opening also helps.



Full Coverage Mirrors

Drivers will see much more with these new side mirrors. The main mirror is now 10mm taller while the newly added submirror is convex-shaped to maximize rear-view coverage.



Improved Side Window View

To achieve better lines of sight in all directions, the door windows are slightly larger than before. The driver will quickly notice how even a very minor change can make a huge improvement in side visibility. The combination of larger side windows and a better mirror design helps promote more confident and safer driving.

Enhanced Forward Visibility


unlocking of the doors. This Smart Key also includes a security

without the insertion of the Smart Key into the ignition switch.

Mighty drivers enjoy a bigger and better forward view thanks to two factors. First, the crashpad features a new horizontal design that minimizes height and which has been mounted as low as possible. Secondly, the windscreen rake angle is slightly closer to the vertical position thus helping maximize the forward view angle.







SUPERIOR COMFORT

CLASS-LEADING ROOMINESS AND MORE STORAGE AREAS

Mighty's cabin is designed to surpass expectations. First, generous interior dimensions allow the driver to stretch out and relax in complete comfort. Secondly, it is equipped with an ample number of storage compartments to help keep the driver well-organized. Auxiliary power outlets include both 12v- and 24v-type for maximum versatility.



Mighty offers more than a sufficient amount of storage options. A tally of the various compartments adds up to 43.4 liters in total storage space.



Roof Console

The volume of this handy overhead space measures at an impressive 21



compartment keeps your travel essentials within easy reach.




Cup Holders

With these cleverly designed cup holders, quenching your thirst while driving has never been easier.



Seat Back Console

The center seat backrest folds down to offer a tray which doubles as a writing surface.



Rear Panel Console

Mounted on the rear panel, this 4.9 liter console comes with a bottle holder.



Super Cab Rear Space

Super Cab brings the advantage of extra rear space for storing tools or other essential items.



Reclining Passenger Seat and Folding Console

The Super Cab passenger seat reclines up to a maximum of 52 degrees (degress in Standard Cab). For added convenience, the center seat backrest can be folded into a fully flat position to offer a handy 6 liter storage compartment. It's covered by a large tray top doubles as a writing surface.



Double Cab

The rear of the Double Cab provides comfortable seating for three more of your crew.



YOUR PAYLOAD

READY FOR ANYTHING, MIGHTY CARRIES MORE PER LOAD FOR FEWER TRIPS

Classified according to gross vehicle weight, the Mighty range spans five different models from the 5.5-ton EX5 to the top-of-the-line EX9 which features a 4,850mm-long deck and 8.2-ton GVW rating. The reinforced rear axle has a 6,600kg maximum weight ratings so your cargo rides safely without worry. Powertrains are tailored to match respective cargo hauling capacities.

Super Cab: The best in Comfort and Cargo Efficiency



Extra long wheelbase(for Super Cab)

Mighty at its mightiest, the Extra Long provides maximum load space.

EX9

Rated at 5.5T Rated at 6.5T GVW, the EX6 comes in three Mighty features a Standard Cab only and a 2,850mm



lengths and choice of Standard, Super or Double Cab.

EX6



EX7

GVW rated at 7.2T, the

EX7 comes in

Super Cab plus

Standard or

extra-long

wheelbase

The 7.8T GVW-rated EX8 offers a choice of four different wheelbases and two Cab types



4 wheelbases

and two Cabs

this ultimate

Mighty is GVW

rated at 8.2T.

to choose from,

Double Cab



SOLID & ROBUST

BUILT TOUGH FOR UNSURPASSED **DURABILITY AND RELIABILITY**

Even at maximum cargo carrying capacity, Mighty has been designed to travel confidently over the bumpiest of roads. Its ladder-frame chassis can safely withstand high torsional and flexing forces because it is built with a high-quality steel produced by Hyundai Motor Group affiliate Hyundai Steel. Also cross-member reinforcement helps resist twisting and bending.

Zinc-galvanized

For rust-resistance and extended durability, zinc-galvanized steel has been specified for 79% of the cabin structure. To achieve higher standards of strength, rigidity and improved crashworthiness, high tensile strength steel has been applied to 38% of the cabin shell.



High Tensil Strength Steel



Zinc-Plated Steel

Engine moved forward < 50mm ⋅

By moving the engine forward 50mm, extra load space has been created. This has also allowed the cab to mounted lower, achieving a lower center of gravity and reducing vibrations.

These are just some one of the benefits of Mighty's all-new chassis.







Easy to Customize

For easy upper body customization, the ladder frame features a matrix of predrilled 11mm holes spaced 50mm apart.



Easy Winter Starting

The fuel system includes pre-heater to prevent icing and promote fast starts in sub-zero temperatures.



Wide Mud Guards

Front and rear mud guards prevent stones and other road debris from chipping the paintwork.



Improved Junction Box


New design allows for quick replacement of burnt out fuses and easy checks to detect current leakage.



MORF MILES WITH I FSS I ITERS

Mighty is powered by a variant of the phenomenally popular D4 family of CRD engines displacing 3.9L. The straight-four powerplant is mated to a 5-speed manua transmission (6-speed in the case of the 170ps D4GA17) to drive the rear wheels Depending on displacement and the EURO emission certification rating, Mighty D4class powerplants generate anywhere from 120ps in the case of the EURO-1 D4DC up to a maximum of 170ps in the example of the EURO-5 rated D4GA17 engine.







T60S5: 5-speed manual transmission

s-speed manual transmission * 6-speed available only with F-engine

Advanced 5-speed or



- Displacement: 3,933cc
- •170ps / 2,500rpm •62kgm / 1,400rpm

500 1000 1500 2000 2500 3000

D4GA15

- Displacement : 3,933cc
- •150ps / 2,500rpm •140ps / 2,800rpm •59kgm / 1,400rpm


D4DD

•38kgm / 1,600rpm

Speed [rpm]

• Displacement : 3,907cc






- Displacement : 3.907cc
- •130ps / 2.900rpm
- •38kgm / 1,800rpm

D4DB-d (Other Euro2 Engine)

- Displacement : 3,907cc
- 120ps / 2.900rpm
- 30kgm / 2,000rpm



D4DB13

- Displacement : 3,907cc
- •120ps / 3,200rpm
- 26kgm / 2,000rpm

D4DB14 (Other Eurol Engine)

- Displacement : 3.907cc
- 155ps (Gen) / 2.900rpm • 38kgm / 1,800rpm

reputation for their durability, reliability and economy. Fed by the very latest common rail direct injection system, Hyundai diesels squeeze the maximum amount of energy out of each drop of fuel and provide fantastic pulling power across a wide rpm range.

170ps@2500rpm



Improved Rear Suspension

New rubber dampers replace the older metal-type to deliver greatly improved rear suspension performance.



Anti-Vibration Dampers

Vibration has been reduced by the application of gas-type shock absorbers and wider spacing between the leaf springs.

NVH Countermeasures

Mighty engineers have devised numerous other countermeasures to achieve significant reductions in noise, vibration and harshness. These include the lowering the cab floor, installation of new engine mounts and the adoption of a single-structure frame for secure support of the crashpad. Other measures include the use of double-seal weatherstripping to reduce wind noise and a new dual rail system installed inside the doors for rattle-free support of the

MIGHTY, YOUR SMART GUARDIAN

Vehicle Dynamic Control

VDC provides the ultimate in braking power to prevent a loss of control and maintain directional stability when dangerous conditions are detected.

Employing an array of sensors to monitor vehicle speed, direction of travel, the steering angle and the amount of tire traction, VDC relies on highly advanced software to distribute braking power among the individual wheels. It can even automatically cut the engine throttle if a dangerous condition is detected.




High-power Assist Brake (HAB)

Recognizes panic braking and the automatically boosts hydraulic brake pressure to maximize stopping power.



Easy Hill Start (EHS)

EHS prevents accidental 'roll back' when releasing the brake to proceed a steep slope.



Engine Drag Control (EDC)

During engine braking, EDC prevents the driven wheels from locking and skidding on slippery surfaces.



Hyundai takes an uncompromising approach to the issue of safety. From the newly adopted Vehicle Dynamic Control which reduces rollover risk to the anti-locking 4-wheel disc brakes with the very latest Electronic Stability Control and Traction Control, Mighty raises truck driving safety to a higher standard than ever. There's even a Lane Departure Warning System that will alert to the driver in the event the driver unintentionally drifts out of his lane.



Lane Departure Warning System

This cutting-edge safety system relies on vision sensor that continually monitors the parallel paint strips to ensure the vehicle stays within the driving lane. If a lane departure is not accompanied by turn signal activation then LDWS triggers an alert for the driver to take corrective action.



-4.6m

Shorter Braking Distances


The 4-wheel disc brakes (optional) with Vehicle Dynamic Control maximize braking power. Compared to its predecessor, Mighty requires 4.6m less to come to a full stop from 60km/h.

*EX6 (HD65) tested at 60km/h




Electronic Stability Control (ESC) ESC uses selective braking of individual

ESC uses selective braking of individual wheels and engine intervention to help maintain directional stability.



Anti-lock Braking System (ABS)

ABS helps maintain directional stability and decreases stopping distances on slippery pavement.



Traction Control System (TCS)

TCS prevents wheel spin and loss of traction and is particularly helpful when accelerating from a stop.



MORE **MIGHTY**



T800 audio

- Radio
- USB + AUX + Bluetooth + CDP + MP3 + iPOD



Audio remote control

The remote audio controls help the driver keep both hands on the wheel for better safety.



Passenger air conditioning

Controls are positioned centrally between the driver and front passenger for the maximum convenience of both.



M300 audio

- Radio
- USB + AUX



Auto cruise control

Simplified design keeps the vehicle at a steady speed to help minimize fuel consumption.



Deluxe map lamps

Enjoy better lighting with these deluxe map lamps which are available with top trim only.



M200 audio

- Radio + AUX



Disc pad wear indicator

Disc brakes come with a warning indicator to indicate when it's time to install new pads.



Room lamp

The large room lamp provides excellent coverage throughout the cabin.



Digital tachograph

The optional tachograph is an invaluable management tool for maximum safety and efficiency.



Passenger AUX

The AUX jack accepts inputs from portable music players and other audio devices.



Standard map lamp

A very handy feature to have when trying to read a map at night. Available as an option with standard trim.



Adjustable steering wheel

The tilt angle and distance can be easily adjusted to ensure the perfect driving position.



Detachable upper front panel

The detachable design allows for quick inspections and easier servicing.



Rear lamps

Large rear lamps provide excellent illumination and are easy to service.



Center console

Long stay mirror

The center fascia includes a nicely sized console for storage convenience.



Parking console

This console features a storage bin and cupholder for the driver's convenience.



Sun visor

The visor is extra-wide for better protection against glare and includes a ticket holder.



Front marker lamps

Dual front marker lamps shine brightly to The long-stay mirrors eliminate the blind spot permitting safer lane changes. Optional. boost visibility and safety.



Micro Roof Antenna

Great radio reception from a small, aerodynamic antenna that fits exactly to the style of Mighty.



Tool box

The sturdy, side-mounted tool box is easily accesssible and lockable.



16" Alloy wheels

Mighty looks even more handsome and stylish with the optional lightweight alloy wheels.



16" Steel wheels

Highly durable steel wheels are built to with stand punishment.

SPECIFICATIONS

MODEL	ITEM	EX5	EX6								
C-L	Width	Wide			W	ide					
Cab	Length	Standard Super						Double			
Deck height		High									
Wheelbase		Short	Short	Medium	Long	Medium	Long	Medium			
Applied Engines		D4DC / D4DB-d	D4DC/D4DB-d/ D4DD/D4GA17	D4DC/D4DB-d/ D4GA15	D4DB13/D4DD/ /D4GA17	D4DC/D4DB-	-d/D4DB13/D4DD/D4GA	15/D4GA17			
Dimensions (mm)											
Wheelbase		2,850	2,850	3,400	3,850	3,600	3,950	3,400			
	Length	-	-	6,210	-	6,510	-	6,210			
Overall (Cargo)	Width	-	-	2,080/2,180	-	2,080/2,180	-	2,080			
	Height	-	-	2,345	-	2,345	-	2,345			
	Length	5,300	5,300	6,110	6,620	6,370	6,870	6,110			
Overall (C/Cab)	Width	2,028 (Door handle)			2,028 (Do	or handle)					
	Height	2,290	2,295 (7.00R16 Tire), 2,275 (205/75R17.5 Tire)								
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Front	1,690	1,680 (DC/DB-d engine), 1,695 (DD/GA engine)								
Wheel tread	Rear	1,655			orake : 1,575)						
Overhang (Cargo)	Front	-	-	1,125	-	1,125	-	1,125			
	Rear	-	-	1,685	-	1,785	-	1,685			
0 1 (5(5.1)	Front	-			1,	125					
Overhang (C/Cab)	Rear	-	1,325	1,585	1,645	1,645	1,795	1,585			
	Length	-	-	4,340	_	4,340	-	3,340			
	Width	-	-	1,960/2,060	-	1,960/2,060	-	1,960			
Deck Size	Height	-	-	380	-	380	-	380			
	Floor Height	-	-	1,040	-	1,035	-	1,040			
Deck offset		-	-	540	-	440	-	440			
*C.A (Cab to rear axle	2)	2,260	2,260	2,810	3,260	2,710	3,060	1,810			
*C.E (Cab to end of f		3,520	3,520	4,330	4,840	4,290	4,790	3,330			
Min. ground clearand		220	185	185	195	185	195	185			
Minimum turning circ		5.3	5.3	6.3	7.5	6.7	7.7	6.3			
Weight (kg)					-						
Empty vehicle weigh	t (Cargo)	-	-	3,030	-	3,070	-	3,090			
	Front	_	_	1,735	_	1,760	_	1,690			
	Rear	_	_	1,295	_	1,310	_	1,400			
Curb weight (Chassis		2,365	2,510	2,495	2,575	2,535	2,595	2,680			
ear b weight (chassis	Front	1,595	1,630	1,650	1,675	1,695	1,715	1,685			
	Rear	770	880	845	900	840	880	995			
**Max gross vehicle		5,500	000	042		500	000	252			
Max gross verilcie	Front	2,530									
	Rear	2,970	2,400 4,100								

MODEL	ITEM			EX7						
	Width			Wide						
Cab	Length		Sı	ıper						
Deck height			Standard	High						
Wheelbase		Short	Long	Extra-Long	Long	Extra-Long				
Applied engines		D4DC/D4DB14/D4DB13		1/D4DB-d/D4DB13	D4DC/D4DB14/	/D4DB-d/D4DB13				
Dimensions (mm)										
Wheelbase		2,850	3,850	4,200	4,050	4,400				
	Length	5,370	6,720	-	7,020	-				
Overall (Cargo)	Width	2,180		-	2,	180				
_	Height	2,360		-	2,	360				
	Length	5,300	6,620	7,370	6,870	7,370				
Overall (C/Cab)	Width			2,028 (Door Handle)						
	Height	2,310 (7.50R17.5 Tire), 2,285 (205/75R17.5 Tire)								
Mhool tear	Front				75, 205/75R Tire : 1,680(DC/DB) / 1,695(GA)					
Wheel tread	Rear			1,650						
Overhang (Cargo)	Front	1,125		-	1,125	-				
	Rear	1,395	1,745	-	1,845	-				
Overhang (C/Cab)	Front			1,125						
	Rear	1,325	1,645	2,045	1,695	1,845				
	Length	3,500	4,850	-	4,850	-				
)l!	Width	2,060	-		2,060	-				
Deck size	Height	380		-	380	-				
	Floor Height	1,115	1,125	-	1,120	-				
Deck offset		410	735	-	635	-				
*C.A (Cab to rear ax	ile)	2,260	3,260	3,610	3,160	3,510				
*C.E (Cab to end of	frame)	3,520	4,840	5,590	4,790	5,290				
Min. ground clearan	nce	210	220	220	220	220				
Minimum turning cir	rcle (m)	5.3	7.5	8.2	7.9	8.6				
Weight (kg)										
Empty vehicle weigl	ht	3,025	3,240	-	3,260	-				
	Front	1,720	1,820	-	1,825	-				
	Rear	1,305	1,420	-	1,345	-				
Turb weight (Chassi	is Cab)	2,565	2,640	2,675	2,660	2,685				
	Front	1.655	1,705	1,765	1,745	1,795				
	Rear	910	935	910	915	890				
**Max gross vehicle	e weight			7,200						
	Front			2,600						
	Rear			4,600						

* C.A & C.E : In case of standard cab D4GA engine, due to the protruding engine part reduced length 65mm.

* Weight : If you select fuel tank 150 û, weight increases 55kg.

** Max. GVW includes the front & rear axle loads based on the permissible tire load.

¹⁾ Empty vehicle weight and curb weight shown are to 3.5% variation to allow for production tolerance. 2) Empty vehicle weight and curb weight include weight of oil, fuel, coolant and spare tire carrier & bracket, spare tire but exclude standard tool set.
3) The vehicle specifications may differ per country. 4) Hyundai Motor Company reserves the right to alter the specifications, equipment or options or discontinue the models at any time without prior notice.

SPECIFICATIONS

MODEL	ITEM			EX8				
C-L	Width			Wide				
Cab	Length	Standard Super						
Deck height				High				
Wheelbase		Short	Long	Extra-Long	Long	Extra-Long		
Applied engines		D4DC/D4DB14/D4DD/D4GA17	D4DC/D4DB14/D4DB13	/D4DD/D4GA15/D4GA17	D4DC/D4DB14/D4DB13/D	4DD/D4GA15/D4GA17		
Dimensions (mm)								
Wheelbase		2,850	3,850	4,200	4,050	4,400		
	Length	5,370	6,720	-	7,020	-		
Overall (Cargo)	Width	2,180		-	2,180	-		
	Height	2,360		-	2,360	-		
	Length	5,300	6,620	7,370	6,870	7,370		
Overall (C/Cab)	Width			2,028 (Door handle)				
	Height		7.50R16: 2,3	310, 205/75R17.5 : 2,285, 215/7	/75R17.5 : 2,285, 215/75R17.5 : 2,295			
Wheel tread	Front		215/75R Tire : 1	1,675, 205/75R Tire: 1,680(DC/DB), 1,695(DD/GA)				
wileer tredu	Rear			1,650				
Overhand (Cardo)	Front	1,125		-	1,125	-		
Overhang (Cargo)	Rear	1,395	1,745	-	1,845	-		
Overhang (C/Cab)	Front			1,125				
	Rear	1,325	1,645	2,045	1,695	1,845		
	Length	3,500	4,850	-	4,850	-		
Deck Size	Width	2,060		-	2,060	-		
DECK SIZE	Height	380		-	380	-		
	Floor height	1,115	1,125	-	1,120	-		
Deck offset		410	735	-	635	-		
C.A (Cab to rear axle)	2,260	3,260	3,610	3,160	3,510		
C.E (Cab to end of fr	ame)	3,520	4,840	5,590	4,790	5,290		
Min. ground clearan	ce	210	220	220	220	220		
Minimum turning cir	cle (m)	5.3	7.5	8.2	7.9	8.6		
Weight (kg)								
Empty vehicle weigh	nt (Cargo)	3,035	3,250	-	3,270	-		
	Front	1,725	1,825	-	1,830	-		
	Rear	1,310	1,425	-	1,440	-		
Curb weight (Chassis	s Cab)	2,575	2,650	2,685	2,670	2,695		
	Front	1,660	1,710	1,770	1,750	1,800		
	Rear	915	940	915	920	895		
*Max gross vehicle	weight			7,800				
	Front			3,100				
	Rear			4,700				

MODEL	ITEM			EX9						
	Width			Wide						
Cab	Length		Supe	,						
Deck height			Standard	High						
Wheelbase		Short	Long	Extra-Long	Long	Extra-Long				
Applied engines		D4DC/D4DB14/D4DD/D4GA17	-	/D4DD/D4GA15/D4GA17	D4DC/D4DB14/D4DB1					
Dimensions (mm)										
Wheelbase		2,850	3,850	4,200	4,050	4,400				
	Length	-	6,720	· -	7,020	-				
Overall (Cargo)	Width	-	2,180	-	2,180	-				
	Height	-	2,360	-	2,360	-				
	Length	5,300	6,620	7,370	6,870	7,370				
verall (C/Cab)	Width	2,028 (Door handle)								
	Height	7.50R16 : 2,310, 205/75R17.5 : 2,285, 215/75R17.5 : 2,295								
	Front	215/75R Tire: 1,675 205/75R Tire: 1,680(DC/DB), 1,695(DD/GA)								
Wheel tread	Rear			1,650	,					
Overhang (Cargo)	Front	-	1,125	·-	1,125	-				
	Rear	-	1,745	-	1,845	-				
	Front		·	1,125						
Overhang (C/Cab)	Rear	1,325	1,645	2,045	1,695	1,845				
	Length	_	4,850	·_	4,850	-				
	Width	-	2,060	-	2,060	-				
eck size	Height	-	380	-	380	-				
	Floor height	-	1,125	_	1,120	-				
Deck offset		-	735	-	635	-				
.A (Cab to rear axle)	2,260	3,260	3,610	3,160	3,510				
.E (Cab to end of fr	ame)	3,520	4,840	5,590	4,790	5,290				
Min. ground clearan		210	220	220	220	220				
Jinimum turning cir		5.3	7.5	8.2	7.9	8.6				
Weight (kg)										
Empty vehicle weigh	nt (Cargo)	-	3,250	-	3,270	-				
	Front	_	1,825	_	1,830	-				
	Rear	-	1,425	-	1,440	-				
urb weight (Chassi	s Cab)	2,575	2,650	2,685	2,670	2,695				
-	Front	1,660	1,710	1,770	1,750	1,800				
	Rear	915	940	915	920	895				
Max gross vehicle				8,200						
,	Front			3,100						
	Rear			5,100						

* C.A & C.E : In case of standard cab D4GA engine, due to the protruding engine part reduced length 65mm.

* Weight : If you select fuel tank 150 û, weight increases 55kg.

** Max. GVW includes the front & rear axle loads based on the permissible tire load.

¹⁾ Empty vehicle weight and curb weight shown are to 3.5% variation to allow for production tolerance. 2) Empty vehicle weight and curb weight include weight of oil, fuel, coolant and spare tire carrier & bracket, spare tire but exclude standard tool set.
3) The vehicle specifications may differ per country. 4) Hyundai Motor Company reserves the right to alter the specifications, equipment or options or discontinue the models at any time without prior notice.

ENGINE LINEUP

	MODEL		EX5	EX6			EX7				EX8/9			
	Variant		Cargo	Cargo		Dump	Cargo			Dump	Cargo			
	Wheelbase		Short	Short	Medium	Long	Башр	Short	Long	Extra-Long	Dullip	Short	Long	Extra-Long
Free-1	D4DC	120ps / 26kgm	•	•	•	•	•	•	•	•	•	•	•	•
Euro1	D4DB14	155ps / 38kgm						•	•	•	•	•	•	•
Euro2	D4DB-d	120ps / 30kgm	•	•	•	•	•		•	•	•			
Lui oz	D4DB13	130ps / 38kgm					•		•	•	•		•	•
Euro3	D4DD	140ps /38kgm		•	•	•	•	•	•	•	•	•	•	•
Euro4	D4GA15	150ps / 59kgm			•	•							•	•
Euro5	D4GA17	170ps / 62kgm			•	•							•	•

Max. Power and Torque of engine may vary according to each country.

DIMENSION AND CABIN VARIANT

[Unit:mm]

Sub	GVW	Short Wheelbase	Medium Wheelbase	Long Wheelbase	Extra-Long Wheelbase	Standard Cab	Super Cab	Double Cab	
EX5	5.5t	2,850				•			
EX6	6.5t	2,850	3,400~3,600	3,850~3,950		•	•	•	
EX7	7.2t	2,850		3,850~4,050	4,200~4,400	•	•		Standard
EX8	7.8t	2,850		3,850~4,050	4,200~4,400	•	•		Super
EX9	8.2t	2,850		3,850~4,050	4,200~4,400	•	•		Double

EXTERIOR COLORS











SEAT TRIMS

Artificial leather-high







- The above values are results from internal testing and are subjected to change after validation.
 Some of the equipment illustrated or described in this catalog may not be supplied as standard equipment and may be available at extra cost.
 Hyundai Motor Co. reserves the right to change specifications and equipment without prior notice.
 The color plates shown may vary slightly from the actual colors due to the limitations of the printing process.
 Please consult your dealer for full information and availability on colors and trims.